

Stollen, stapelfähig (Zubehör Art. Nr. 390)

Zubehör für Stollen

390 Verbind.-Beschl. für 2 Seiten

1.- 1.- 1.- 1.-

391 2 Stck. Stellfüsse für 1 Seite

2.- 2.- 2.- 2.-

392 2 Stck. Wandbefest.-Winkel

2.- 2.- 2.- 2.-

300 H: 211,2 T: 32,0 156.- 162.- 169.- 266.-	301 H: 201,6 T: 32,0 149.- 155.- 161.- 253.-	305 H: 172,8 T: 32,0 129.- 134.- 138.- 234.-	303 H: 163,2 T: 32,0 125.- 130.- 136.- 213.-	304 H: 124,8 T: 32,0 101.- 105.- 110.- 172.-	306 H: 86,4 T: 32,0 78.- 81.- 84.- 132.-	307 H: 48,0 T: 32,0 57.- 59.- 62.- 98.-	317 H: 48,0 T: 48,0 84.- 87.- 88.- 150.-	316 H: 86,4 T: 48,0 108.- 112.- 116.- 199.-	309 H: 172,8 T: 48,0 203.- 211.- 219.- 277.-	310 H: 211,2 T: 48,0 249.- 259.- 270.- 335.-
---	---	---	---	---	---	--	---	--	---	---

Böden, Materialstärke 4,0 cm

B: 36,0	B: 44,0	B: 54,0	B: 64,0	B: 74,0
Tiefe 30,4 cm 036 47.- 49.- 52.- 85.-	044 51.- 53.- 55.- 85.-	054 56.- 58.- 60.- 119.-	064 64.- 67.- 70.- 119.-	074 68.- 71.- 75.- 119.-
Tiefe 46,4 cm 144 68.- 71.- 75.- 124.-				174 97.- 101.- 105.- 178.-
Tiefe 59,2 cm 404 99.- 103.- 106.- 128.-				

Tiefenversatzböden, Materialstärke 4,0 cm

B: 44,0		B: 74,0		B: 88,0		B: 100,0		B: 140,0	
links	rechts	links	rechts	links	rechts	links	rechts	links	rechts
232	233	238	239	240	241	242	243	246	247
30,4	< 46,4 > Tiefe	30,4	< 46,4 > Tiefe	30,4	< 46,4 > Tiefe	30,4	< 46,4 > Tiefe	30,4	< 46,4 > Tiefe
254	255			258	259				
30,4	< 59,2 > Tiefe			30,4	< 59,2 > Tiefe	30,4	< 59,2 > Tiefe		
252	253			256	257				
46,4	< 59,2 > Tiefe			46,4	< 59,2 > Tiefe	46,4	< 59,2 > Tiefe	30,4	< 46,4 > Tiefe

Schubkastenelemente, Höhe 34,1 cm

B: 44,0	B: 88,0	B: 44,0	B: 88,0
330 248.- 258.- 268.- 371.-	331 301.- 314.- 328.- 521.-	332 218.- 227.- 238.- 356.-	333 269.- 280.- 294.- 473.-
334 271.- 282.- 296.- 408.-	335 333.- 347.- 359.- 574.-	410 241.- 251.- 261.- 380.-	411 299.- 311.- 320.- 488.-
336 300.- 312.- 325.- 449.-	337 366.- 381.- 397.- 631.-		

Türen inkl. massiver Rückwand

Die Türen sind rechts/links verwendbar

Eine Tür: für 44 cm - Element
Zwei Türen: für 88 cm - Element

HT = Holztür	GT = Glastür
286 H: 197,2 288.- 300.- 320.- 532.-	287 H: 197,2 288.- 300.- 313.- 532.-

Systemteile für Ecklösungen

Eckstützen, stapelfähig (Zubehör Art.-Nr. 390)

320 H: 211,2 59.- 61.- 63.- 108.-	321 H: 201,6 56.- 58.- 60.- 101.-	322 H: 172,8 47.- 49.- 53.- 88.-	323 H: 163,2 43.- 45.- 48.- 82.-	324 H: 124,8 34.- 35.- 37.- 61.-	326 H: 86,4 22.- 23.- 23.- 41.-	327 H: 48,0 13.- 14.- 16.- 28.-
---	---	--	--	--	---	---

Inneneckböden

Schenkelmass
80,0 x 80,0

217 156.- 162.- 169.- 287.-	218 138.- 144.- 149.- 233.-	219 156.- 162.- 169.- 287.-
--	--	--

Inneneckboden

Schenkelmass
64,0 x 64,0

217 156.- 162.- 169.- 287.-	218 138.- 144.- 149.- 233.-
--	--

Ausseneckböden

links
rechts
B: 30,4 T: 26,4
B: 46,4 T: 42,4

223 47.- 49.- 52.- 78.-	222 47.- 49.- 52.- 78.-	221 64.- 67.- 70.- 119.-	220 64.- 67.- 70.- 119.-
--	--	---	---

B: 88,0

088 78.- 81.- 84.- 132.-	188 108.- 112.- 116.- 192.-	408 155.- 161.- 166.- 199.-
---	--	--

B: 100,0

100 84.- 88.- 91.- 141.-	190 123.- 128.- 134.- 226.-
---	--

B: 120,0

120 93.- 97.- 101.- 193.-	394 Ausziehbare Kleiderstange 31.- 31.- 31.- 31.-
--	---

B: 140,0

140 113.- 118.- 124.- 193.-	194 157.- 164.- 171.- 290.-
--	--


250 Sonderboden, auskragend Bodentiefe 43,0 Einbaubreite 88,0 Einbautiefe 30,4	132.- 138.- 145.- 246.-
--	----------------------------------

Stollen für Kleiderschränke

405 H: 172,8 T: 60,8 250.- 260.- 268.- 349.-	406 H: 172,8 T: 60,8 250.- 260.- 268.- 349.-	401 H: 211,2 T: 60,8 302.- 315.- 329.- 425.-	402 H: 211,2 T: 60,8 302.- 315.- 329.- 425.-
---	---	---	---

Kleiderschränkeinteilung

Materialstärke 2,4cm



Einlegeböden Tiefe ca. 52cm	414 B: 44,0 60.- 63.- 66.- 91.-	418 B: 88,0 92.- 96.- 99.- 136.-
Kleiderstangen (ohne Abbildung)	412 B: 44,0 18.- 19.- 19.- 22.-	413 B: 88,0 21.- 22.- 22.- 26.-
Trennwand inkl. Kleiderst. B: 41,6	419 H: 124,8 157.- 164.- 171.- 236.-	



Mitnahmepreise in DM, 1996/12
Irrtum für den Gesamteinhalt vorbehalten
Technische Verbesserungen vorbehalten 190.00.889

	Preis	Systemtiefen cm
881 Kiefer unbehandelt, Feinschliff		
883 Kiefer lackiert	Preis	32,0
884 Kiefer gelaugt*	Preis	48,0
880 Kiefer bernstein*	Preis	
887 Erle*	Preis	60,8

* Wachsbehandlung

Einlegeböden (Böden hinter Tür(en))

Materialstärke 4,0 cm

270 T: 26,1 B: 44,0 51.- 53.- 55.- 85.-	271 T: 26,1 B: 88,0 78.- 81.- 82.- 132.-	272 T: 42,1 B: 44,0 68.- 71.- 75.- 124.-	273 T: 42,1 B: 88,0 108.- 112.- 116.- 192.-
--	---	---	--

284 H: 158,8 263.- 274.- 284.- 484.-	285 H: 158,8 263.- 274.- 284.- 484.-	288 H: 120,4 197.- 205.- 214.- 360.-	289 H: 120,4 197.- 205.- 214.- 360.-	280 H: 72,5 132.- 137.- 142.- 243.-	281 H: 72,5 132.- 137.- 142.- 243.-	282 H: 34,1 104.- 108.- 113.- 193.-	283 H: 34,1 104.- 108.- 113.- 193.-
--	--	--	--	---	---	---	---

